

# PRODUCT FICHE

<b>COMPANY NAME</b>	<b>QUADRO</b>
<b>MODEL NAME</b>	<b>CH-6006 INOX</b>
<b>Annual Energy Consumption (kWh/year)</b>	<b>102,2</b>
<b>Energy Efficiency class</b>	<b>E</b>
<b>Fluid Dynamic Efficiency</b>	<b>4,1</b>
<b>Fluid Dynamic Efficiency class</b>	<b>F</b>
<b>Lighting Efficiency (lux/W)</b>	<b>2</b>
<b>Lighting Efficiency class</b>	<b>A</b>
<b>Grease Filtering Efficiency (%)</b>	<b>81,2</b>
<b>Grease Filtering Efficiency class</b>	<b>C</b>
<b>Air flow at minimum and maximum speed in normal use (m3/h)</b>	<b>170</b>
<b>Air flow at intensive or boost setting (m3/h)</b>	<b>210,7</b>
<b>Airborne acoustical A-weighted sound power emissions at minimum and maximum speed in normal use (dB(A))</b>	<b>54,6/65,4</b>
<b>Airborne acoustical A-weighted sound power emissions at intensive or boost setting (dB(A))</b>	<b>-</b>
<b>Power consumption in standby mode (W)</b>	<b>0</b>
<b>Power consumption in off mode (W)</b>	<b>0</b>



